



# Commonwealth Utilities Corporation

An Equal Opportunity Provider and Employer

Joeten Dandan Building, 3<sup>rd</sup> Floor  
P.O. Box 501220  
Saipan, MP 96950

Gary P. Camacho, Executive Director  
Telephone No.: (670) 664-4282  
Fax No.: (670) 235-5131

Wednesday, September 19, 2018

## FOR IMMEDIATE RELEASE

### CUC Update to Health Advisory for PFOS and PFOA

*The Commonwealth Utilities Corporation (CUC) has detected levels of PFOS and PFOA that exceed the United States Environmental Protection Agency (EPA) Health Advisory level of 70 parts per trillion (ppt) in a limited area of its drinking water system. The affected area includes the following villages: Chalan Laulau, Iliying, Chalan Kiya, As Terlaje, Kanat Tabla, Fina Sisu, and parts of Gualo Rai, As Lito and As Perdido.*

CUC is advising consumers in these areas to avoid ingesting the water at this time and until the concentrations of PFOS and PFOA are below the health advisory level. Consumers should not drink tap water, cook with tap water, or make ice for consumption with tap water. CUC is making this advisory action to help the affected population limit their lifetime exposure to these chemicals.

#### History

On May 19, 2016 the U.S. Environmental Protection Agency issued new nationwide drinking water health advisories regarding two chemical contaminants: perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA). These health advisories are based on the latest science available and help local water systems and regulatory agencies take appropriate steps to address PFOA and PFOS if needed.

PFOS and PFOA are human-made substances and are not naturally found in the environment. They have been used extensively in commercial goods (carpets, clothing, furniture, paper packaging for food) and in materials that are resistant to water, grease or stains such as cookware. They are also used in firefighting foams at airfields and in a number of industrial processes. Between 2000 and 2002, PFOS was voluntarily phased out of production in the U.S. by its primary manufacturer.

While consumer products are a large source of human exposure to these chemicals, drinking water can be an additional source of exposure in communities where these chemicals have entered and contaminated water supplies. Such contamination is typically localized and associated with a specific facility, for example, an airfield at which they were used for firefighting.

EPA has established lifetime health advisories of **70 parts per trillion** for combined concentrations of PFOA and PFOS in drinking water. EPA health advisories include a margin of protection from adverse health effects when consumed at these levels over a lifetime.

P.O. Box 501220 CK, Saipan, MP 96950  
Telephone: (670) 664-4282 • Facsimile: (670) 235-5131  
CUC is an Equal Opportunity Provider and Employer.

Studies indicate that exposure to PFOA and PFOS over certain levels may result in adverse health effects, including developmental effects to fetuses during pregnancy or to breastfed infants (e.g., low birth weight, accelerated puberty, skeletal variations), cancer (e.g., testicular, kidney), liver effects (e.g., tissue damage), immune effects (e.g., antibody production and immunity), thyroid effects and other effects (e.g., cholesterol changes).

### **What CUC Has Done?**

In compliance with US EPA and CNMI Bureau of Environmental and Coastal Quality (BECQ) requirements, CUC conducted unregulated contaminant monitoring of its drinking water supplies in 2015 and 2016. In May 2016, EPA and BECQ requested that CUC conduct follow-up monitoring of its supplies for PFOA and PFOS. CUC conducted additional testing in June 2016 and continues to conduct additional monitoring. The results of this monitoring resulted in CUC removing eight (8) wells in the Isley and Obyan well fields near the Saipan International Airport from service.

### **Updated Information**

On August 17, 2018, CUC collected a sample from the Isley Booster Station 1 to monitor the concentration levels of PFOS and PFOA in the water supply. Isley Booster Station 1 receives water from the suspected source of the initial contamination. Results received by CUC on September 10, 2018, indicated the concentration of PFOS and PFOA was 158.8 parts per trillion (ppt), exceeding the health advisory of 70 parts per trillion (ppt). Isley Booster Station 1 provides water to the following areas: Chalan Laulau, Iliying, Chalan Kiya, As Terlaje, Kanat Tabla, Fina Sisu, and parts of Gualo Rai, As Lito and As Perdido (see the map below for affected areas).

### **What CUC is doing about the Problem?**

It is not possible to take all wells containing PFOS and PFOA out of service without dramatically affecting delivery of water to customers. The goal is to reduce the combined concentration from all wells to below the health advisory level. To achieve this goal, CUC is taking the following measures:

1. CUC has removed from service eight (8) wells with elevated levels of PFOS and PFOA.
2. CUC will continue to test the concentration of PFOS and PFOA in all the wells presently supplying water to the areas affected by this advisory.
3. CUC will also continue to monitor for these contaminants at the sources surrounding the affected areas.
4. CUC will report to BECQ and the community the results of all further testing.
5. CUC is presently pursuing funding to purchase and install granular activated carbon (GAC) filtration systems, which have proven to remove these specific contaminants.

For more information about PFOA and PFOS visit EPA's webpage <https://www.epa.gov/ground-water-and-drinking-water/drinking-water-health-advisories-pfoa-and-pfos> or contact the BECQ Safe Drinking Water Program at (670) 664-8500.

A copy of "EPA's Fact Sheet on PFOA & PFOS Drinking Water Health Advisory" can be downloaded [here](#).



# SAIPAN

## Water Distribution Areas Affected

